




WAG S.A.

WORLD ACOUSTIC GROUP

FACADE LOUVERS



WAG S.A. has over 20 years of experience in designing and implementing acoustic protection solutions worldwide.


FACADE LOUVERS TYPE A



38 A



55 A



FACADE LOUVERS TYPE A	38	55
LENGH max	3600 mm	
TYPE OF SUPPORTING STRUCTURE	max 1,20m	
TYPE OF MATERIAL	Aluminium- stucco structure	
OPTICAL CROSS SECTION	65 %	68%
PHYSICAL CROSS SECTION	46 %	25 %
COLORS	RAL	
INCLINATION ANGLE	38°	55°



FACADE LOUVERS TYPE B



38 B



55 B




FACADE LOUVERS TYPE B	38	55
LENGH max	3600 mm	
TYPE OF SUPPORTING STRUCTURE	max 1,20m	
TYPE OF MATERIAL	Aluminium- stucco structure	
OPTICAL CROSS SECTION	68 %	69%
PHYSICAL CROSS SECTION	25 %	41 %
COLORS	RAL	
INCLINATION ANGLE	38°	55°

ARCHED FACADE LOUVERS - type B



VERTICAL FACADE LOUVERS



FACADE LOUVERS TYPE A	38	55
LENGH max	3600 mm	
TYPE OF SUPPORTING STRUCTURE	max 1,20m	
TYPE OF MATERIAL	Aluminium - stucco structure	
OPTICAL CROSS SECTION	65 %	68%
PHYSICAL CROSS SECTION	46 %	25 %
COLORS	RAL	
INCLINATION ANGLE	38°	55°

FACADE LOUVERS TYPE B	38	55
LENGH max	3600 mm	
TYPE OF SUPPORTING STRUCTURE	max 1,20m	
TYPE OF MATERIAL	Aluminium - stucco structure	
OPTICAL CROSS SECTION	68 %	69%
PHYSICAL CROSS SECTION	25 %	51 %
COLORS	RAL	
INCLINATION ANGLE	38°	55°



RANGE OF ACTIVITIES

- ▶ ACOUSTIC ANALYSIS
- ▶ ACCESSORIES FOR ACOUSTIC SCREENS
- ▶ PRODUCTION OF FILLINGS FOR SOUND-ABSORBING AND SOUND-REFLECTING SCREENS
- ▶ ACOUSTIC ROOF SCREENS
- ▶ INDUSTRIAL SOUND PROTECTION SYSTEMS
- ▶ PRODUCTION OF SELF-SUPPORTING ARCHES FOR RAILWAYS, AGRICULTURE AND INDUSTRY
- ▶ ENGINEERING DESIGN OF SELF-SUPPORTING PALISADE CLADDING SYSTEMS
- ▶ CONSTRUCTION OF FOUNDATION FOR NOISE BARRIERS USING DRIVEN STEEL PILES TECHNOLOGY
- ▶ INTALLATION OF SCREENS IN ROCKY GROUNDS
- ▶ CONSTRUCTION OF SHUTTER WALLS REINFORCED WITH MESH
- ▶ IMPLEMENTATION OF ROAD AND RAILWAY SCREENS

World Acoustic Group S.A.

Chróstnik 104, 59-311 Lubin, tel. **0048 767 592 050**

e-mail: **biuro@wagsa.eu**

wagsa.eu